	Application No.	Applicant(s)
Notice of Allowability	10/654,438	TOKURA ET AL.
	Examiner	Art Unit
	Ari M. Diacou	3663
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the response to the first office action.		
2. The allowed claim(s) is/are <u>1-8</u> .		
 3.		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ⊠ Notice of References Cited (PTO-892)	5. Notice of Infor	mal Patent Application (PTO-152)
 2. ☐ Notice of References Cited (1 10-032) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 	6. Interview Sum	mary (PTO-413),
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0		il Date nendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	<u>_</u>	atement of Reasons for Allowance
of Biological Material	9.	

DETAILED ACTION

Notice of References Cited

1. In the *Reply to Office Action of August 1, 2005*, the applicant correctly points out that the continuity data of the Onaka publication in question is incorrect. The Onaka publication (2005/0132785) is actually a divisional of application number 10/267,858, now patent number 6862133. It is readily apparent that this simple transposition of numbers is an innocent mistake by the office previously.

Election/Restrictions

- 2. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - I. Claims 1-8, drawn to a Raman amplifier, classified in class 359, subclass 334.
 - II. Claims 9-14, drawn to a method of operating a Raman laser, classified in class 372, subclass 3.
- 3. Newly submitted claims 9-14 are directed to an invention that is independent or distinct from the invention originally claimed for the following reasons:

Inventions I and II are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP §

806.05(e)). In this case the method of claim 9 may be practiced by a Raman amplifier employing a birefringent crystal splitter, or a wavelength selective tapered Y-coupler.

Page 3

Since applicant has received an action on the merits for the originally presented invention, this invention has been constructively elected by original presentation for prosecution on the merits. Accordingly, claims 9-14 are withdrawn from consideration as being directed to a non-elected invention. See 37 CFR 1.142(b) and MPEP § 821.03.

4. This application is in condition for allowance except for the presence of claims 9-14 to an invention non-elected without traverse. Accordingly, claims 9-14 have been cancelled.

Response to Arguments

Applicant's arguments, see page 9, line 3 through page 10, line 16 in Reply to 5. Office Action of August 1, 2005, filed 10-31-2005, with respect to claims 1-8 have been fully considered and are persuasive. The rejection of claims 1-8 has been withdrawn.

Allowable Subject Matter

- Claims 1-8 are allowed. 6.
- 7. Regarding claim 1, the prior art does not teach or make obvious the use of
 - an optical fiber that propagates and amplifies a second signal light that is a wavelength-multiplexed signal of a first signal light and a reference light,

Application/Control Number: 10/654,438

Art Unit: 3663

wherein the first signal light includes a plurality of wavelengths and the reference light is out of a wavelength range of amplification within the context of claim 1 taken as a whole.

Conclusion

8. The prior art which is cited but not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ari M. Diacou whose telephone number is (571) 272-5591. The examiner can normally be reached on Monday - Friday, 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack Keith can be reached on (571) 272-6878. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 3663

AMD 1/5/2006

SUPERVISOR KEITH SUPERVISOR MINER